

820 Bestgate Road Suite 1A Annapolis, Maryland 21401 410-224-2116

Colonoscopy with CLENPIQ

Your Procedure:

You are scheduled for a colonoscopy. The doctor will examine the lining of your large intestine with a colonoscope. If polyps or other abnormalities are found during the procedure, the doctor will remove the abnormal tissue for further evaluation.

Patient Name:	
Date of Procedure	
Arrival Time	
Procedure Time	

Place:

Maryland Center for Digestive Health 820 Bestgate Road, Suite 1A Annapolis, Maryland 21401 **BWMC- Baltimore Washington Medical** Center

1 Week Prior	5 Days Prior	2 Days Prior	1 Day Prior	Procedure Day
Have your prescription filled today.	Begin low fiber diet.	Continue low fiber diet.	Begin clear liquid diet. No solid foods today. Red, purple or	5 hours prior to procedure: Drink CLENPIQ right from bottle.
Follow these instructions, not the pox instructions.	Stop consuming all high- fiber foods. This includes food with seeds and nuts.	Drink at least five 8oz glasses of water throughout the day.	orange colored liquids are not allowed. You may have small amounts of coffee or tea without	Follow up with at lease five cups (8oz each) of water.
f you take dietary, herbal or fiber supplements or medications containing iron, including multi-		,	cream. Drink at least five 8oz glasses of	You may take your essential
vitamins with iron, discontinue these 7 days before your appointment.	If you are taking ibuprofen (Advil, Nuprin or Motrin) or other non-steroidal (NSAID)		water throughout the day.	morning medications including Blood Pressure Medication with a few small sips of water, at
f you are taking blood thinners including Coumadin (Warfarin),	anti-inflammatory medications, stop taking			least 4 hours prior to your procedure, unless otherwise directed by your physician.
Pradaxa (Dibigatron), Xarelto (Rivaroxaban), Effient (Prasugrel) Plavix	them today. Tylenol and Celebrex are okay to use.	No solid foods after midnight!	6pm: Drink CLENPIQ right from the bottle. Follow with at least	
Clopidogrel) Brilinta (Ticagrelor) and Eliquis (Apixaban), you will need an office visit prior to your procedure.			5cups (8oz each) of water.	NOTHING by mouth at least 4 hours prior to your scheduled procedure time – including gum, tobacco, hard candy/
You may <u>continue</u> your "baby" aspirin and regular aspirin if you were prescribed them for a cardiovascular			If you experience nausea or vomiting take a 15-30 minute break, then continue drinking	mints!
condition. Hold Subcutaneous Injection 1 week prior to procedure.			prep solution.	You will need: -Insurance Cards
Ozempic, Wegovy, Trulicity, Bydureon, Mounjaro - ususally weekly injections				-Driver's License/Photo ID -Any co-insurance fees due -A responsible adult driver to drive you home -Referral

Phone: 410-224-2116 Fax: 410.224.2118

Milk and dairy









Fats and oils



Soups



OK to eat:

- Milk
- · Cream
- Hot chocolate
- Buttermilk
- · Cheese, including cottage cheese

. Breads and grains made with refined

white flour (including rolls, muffins,

· Plain crackers, such as Saltines

· Low-fiber cereal (including puffed

rice, cream of wheat, corn flakes)

· Yogurt

OK to eat:

· White rice

bagels, pasta)

· Sour cream

NO yogurt mixed with:

- · nuts, seeds, granola
- · fruit with skin or seeds (such as berries)

Legumes



NO whole grains or high-fiber:

- . Brown or wild rice
- · Whole grain bread, rolls, pasta, or crackers
- · Whole grain or high-fiber cereal (including granola, raisin bran, oatmeal)
- · Bread or cereal with nuts or seeds

Fruits



OK to eat:

- · Fruit juice without pulp
- Applesauce

None allowed

- · Ripe cantaloupe and honeydew
- · Ripe, peeled apricots and peaches
- · Canned or cooked fruit without seeds or skin

NO seeds, skin, membranes; or dried fruit:

garbanzo/chickpea)

· Any other legume

• Lentils

. Raw fruit with seeds, skin, or membranes (includes berries, pine apple, apples, oranges, watermelon)

· Dried peas (including split or black-

· Dried beans (including kidney, pinto,

- · Any cooked or canned fruit with seeds or skin
- . Raisins or other dried fruit

Meat

OK to eat:

- Chicken
- Turkey
- Lamb
- · Lean pork Veal
- Fish and seafood
- Eggs
- Tofu

NO tough meat with gristle

Vegetables



OK for some if cooked or canned:

- Canned or cooked vegetables without skin or peel (includes peeled carrots, mushrooms, turnips, asparagus tips) · Potatoes without skin
- · Cucumbers without seeds or peel

NO raw, skin, seeds, peel; or certain other vegetables:

- Corn
- · Potatoes with skin
- Tomatoes
- · Cucumbers with seeds and peel
- · Cooked cabbage or Brussels sprouts
- · Green peas
- · Summer and winter squash
- Lima beans
- Onions

Nuts, nut butter, seeds





OK to eat:

OK to eat:

Margarine

Mayonnaise

or nuts

OK to eat:

strained soups

· Vegetable and other oils

· Salad dressings made without seeds

Broth, bouillon, consomme, and

· Milk or cream-based soup, strained

Butter

· Creamy (smooth) peanut or almond butter

NO nuts or seeds:

- . Nuts including peanuts, almonds, walnuts
- · Chunky nut butter

or nuts

Unstrained soups

· Dried bean soup

• Chili

· Lentil soup

Corn soup

· Pea soup

· Seeds such as fennel, sesame, pumpkin, sunflower

Desserts



NO salad dressing made with seeds



Other



OK to eat:

- Custard
- · Plain pudding
- · Ice cream
- Sherbet or sorbet
- . Jell-O or gelatin without added fruit or red or purple dye
- . Cookies or cake made with white flour, prepared without seeds, dried fruit, or nuts

NO:

- · Coconut
- . Anything with seeds or nuts
- · Anything with added red or purple
- . Cookies or cakes made with whole grain flour, seeds, dried fruit, or nuts

OK to eat:

- Coffee
- Tea
- · Hot chocolate or cocoa
- · Clear fruit drinks (no pulp)
- · Soda and other carbonated beverages
- Ensure, Boost, or Enlive without added fiber

- · Fruit or vegetable juice with pulp
- Beverages with red or purple dye

OK to eat:

- Sugar
- Salt
- · Jelly
- Honey Syrup
- · Lemon juice

NO:

- Coconut
- · Popcorn · Jam
- Marmalade
- · Relishes
- Pickles
- Olives
- · Stone-ground mustard